EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	(table with uppercase with lowercase) and (@rlad<="20020918" @ad<="20020918")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 11:51
S1	2	programmable adj pipeline adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 08:58
S2	1	"4,594,655".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 08:59
S3	262	712/10, "37".ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 09:40
S4	2	S3 and (streaming adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 09:44
S6	1196	(707/10, "100", "101".ccls.) and (streaming adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 09:45
S7	30	S6 and (pipeline adj processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 09:45
S8	0	programmable adj streaming adj data adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:14
S9	0	programmable adj data adj streaming adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:20
S10	8845	field adj programmable adj gate adj array	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:21
S11	104	(field adj programmable adj gate adj array) and (streaming near data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:21

EAST Search History

S12	18	((field adj programmable adj gate adj array) and (streaming near data)) and pipeline	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:28
S13	26	table with uppercase with lowercase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:33
S14	0	(field-delineted or (field adj delineted))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:34
S15	15	(field-delineted or (field adj deline$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 16:08
S16	132	(field-delineted or (field adj deline$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:34
S17	0	((field-delineted or (field adj deline$7))) adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:34
S18	132	(field-delineted or (field adj deline$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:35
S19	911	field adj buffer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:36
S20	0	((field-delineted or (field adj deline$7))) and (field adj buffer) and (field adj parser)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:36
S21	0	((field-delineted or (field adj deline$7))) and (field adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:36
S22	34	field adj parser	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:40
S23	7419	programmable adj memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:40

S24	1	(programmable adj memory) and ((field-delineted or (field adj deline$7)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/23 15:40
S25	14	(programmable adj memory) and (field adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/24 08:51
S26	172	(field-delineated or (field adj delinea$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 16:09
S27	150	S26 and (@rlad<="20020918" @ad<="20020918")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 12:54
S28	10	("20020163905" | "20020181455" | "6259699" | "6421730" | "6477166" | "6553000" | "6570875" | "6668317" | "6721271" | "6807193").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/07 16:57
S29	4	"6789116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 11:33
S30	2	"20020065739"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 12:53
S31	0	(substitute adj table) same uppercase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 12:54
S32	1	(substitute adj table) and uppercase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 12:54
S33	22	(substitution adj table) and uppercase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/11 12:54
S34	17	S33 and (@rlad<="20020918" @ad<="20020918")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 11:50